according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



WINDEX® MULTI-SURFACE WITH VINEGAR

Version 1.

Revision Date 12/02/2008

Print Date 01/19/2009

MSDS Number 35000004275

1. PRODUCT AND COMPANY IDENTIFICATION

| Product information | | |
|----------------------------------|---|--|
| Trade name | : | WINDEX® MULTI-SURFACE WITH VINEGAR |
| Use of the Substance/Preparation | : | Speciality Cleaner |
| Company | : | S.C. Johnson & Son, Inc. 1525 Howe Street Racine WI 53403-2236 |
| Emergency telephone | : | 24 Hour Transport & Medical Emergency Phone (866) 231- 5406 24 Hour International Emergency Phone (952) 852-4647 |

2. HAZARDS IDENTIFICATION

| Emergency Overview Appearance / Odor | : | clear / liquid / pleasant |
|--|---|---|
| Immediate Concerns | : | Avoid contact with skin, eyes and clothing. |
| Potential Health Effects Routes of exposure | : | Eye, Skin, Inhalation, Ingestion. |
| Eyes | : | None known. |
| Skin | : | None known. |
| Inhalation | : | None known. |
| Ingestion | : | None known. |
| Aggravated Medical Condition | : | None known. |

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS-No. | Weight % |
|----------------------------------|-----------|----------------|
| Water | 7732-18-5 | 60.00 - 100.00 |
| Isopropanol | 67-63-0 | 3.00 - 7.00 |
| Ethyleneglycol Monohexylether | 112-25-4 | 0.10 - 1.00 |

4. FIRST AID MEASURES

Eye contact

: Rinse with plenty of water.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



| WINDEX® MULTI-SURFACE WITH VINEGAR | | | | |
|--|-----|---|--|--|
| Version 1. | | Print Date 01/19/2009 | | |
| Revision Date 12/02/2008 | | MSDS Number 35000004275 | | |
| | | | | |
| Skin contact | : | No special requirements | | |
| Inhalation | : | No special requirements | | |
| Ingestion | : | If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Get medical attention immediately. | | |
| 5. FIRE-FIGHTING MEASURES | | | | |
| Suitable extinguishing media | : | Alcohol foam, carbon dioxide, dry chemical, water fog | | |
| Specific hazards during fire fighting | : | Container may melt and leak in heat of fire. | | |
| Further information | : | Although this product has a flash point below 200 Deg F, it is an aqueous solution containing an alcohol and does not sustain combustion. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self- contained breathing apparatus. | | |
| Flash point | : | 129 °F Method: Tag Closed Cup (TCC) | | |
| Flash point | : | 53 °C Method: Tag Closed Cup (TCC) | | |
| Lower explosion limit | : | Note: no data available | | |
| Upper explosion limit | : | Note: no data available | | |
| 6. ACCIDENTAL RELEASE MEA | ٩SU | IRES | | |
| Personal precautions | : | Remove all sources of ignition. | | |
| Methods for cleaning up | : | Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Dike large spills. | | |
| 7. HANDLING AND STORAGE | | | | |
| Handling Advice on safe handling | : | KEEP OUT OF REACH OF CHILDREN AND PETS. | | |
| | _ | 0/7 | | |

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



WINDEX® MULTI-SURFACE WITH VINEGAR

Version 1.

Print Date 01/19/2009

Revision Date 12/02/2008

MSDS Number 35000004275

Advice on protection
against fire and explosion:Keep away from heat and sources of ignition.Storage
areas and containers:Keep container closed when not in use.
Keep in a dry, cool and well-ventilated place.
Do not freeze.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

| Components | CAS-No. | mg/m3 | ppm | Basis |
|-------------|---------|-----------|---------|------------|
| Isopropanol | 67-63-0 | - | 400 ppm | ACGIH STEL |
| Isopropanol | 67-63-0 | - | 200 ppm | ACGIH TWA |
| Isopropanol | 67-63-0 | 980 mg/m3 | 400 ppm | OSHA TWA |

Personal protective equipment

Respiratory protection

| Industrial setting | : | No personal respiratory protective equipment normally required. |
|--------------------|---|--|
| Household setting | : | No personal respiratory protective equipment normally required. |
| Hand protection | | |
| Industrial setting | : | not required under normal use |
| Household setting | : | not required under normal use |
| Eye protection | | |
| Industrial setting | : | No special requirements. |
| Household setting | : | No special requirements. |
| Hygiene measures | : | Use only with adequate ventilation. Wash thoroughly after handling. Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection. Wear suitable protective clothing. |
| | | 3/7 |

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



WINDEX® MULTI-SURFACE WITH VINEGAR

Version 1.

Revision Date 12/02/2008

Print Date 01/19/2009

MSDS Number 35000004275

9. PHYSICAL AND CHEMICAL PROPERTIES

| | Form | : | liquid |
|-----|--|---|--|
| | Color | : | clear |
| | Odor | : | pleasant |
| | рН | : | 9.5 - 10.5 |
| | Melting point | : | no data available |
| | Boiling point | : | no data available |
| | Freezing point | : | no data available |
| | Flash point | : | 129 °F Method: Tag Closed Cup (TCC) |
| | Flash point | : | 53 °C Method: Tag Closed Cup (TCC) |
| | Evaporation rate | : | no data available |
| | Autoignition temperature | : | no data available |
| | Lower explosion limit | : | no data available |
| | Upper explosion limit | : | no data available |
| | Vapour pressure | : | similar to water |
| | Water solubility | : | completely soluble |
| | Partition coefficient: n- octanol/water | : | no data available |
| | Specific Gravity | : | 1.00 estimated |
| | | | |
| 10. | STABILITY AND REACTIVITY | ſ | |

Conditions to avoid:None known.Materials to avoid:Strong oxidizing agentsHazardous decomposition
products:When exposed to fire, produces normal products of
combustion.

| Material Safety D | ata Sheet |
|-------------------|-----------|
|-------------------|-----------|

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



| Version 1. Revision Date 12/02/2008 | Print Date 01/19/2009 MSDS Number 350000004275 |
|---|---|
| Revision Date 12/02/2008 | MSDS Number 35000004275 |
| | |
| | |
| Hazardous reactions : Sta | ble |
| | |
| 11. TOXICOLOGICAL INFORMATION | |
| , | 50 rat se: estimated > 5,000 mg/kg |
| Acute inhalation toxicity : LC | 50 rat se: > 2.58 mg/l |
| | 50 rabbit se: > 5,000 mg/kg |
| | |
| Chronic effects Carcinogenicity : no | data available |
| Mutagenicity : no | data available |
| Reproductive effects : no | data available |
| Teratogenicity : no | data available |
| Sensitisation : No | known to be a sensitizer. |
| | |
| 12. ECOLOGICAL INFORMATION | |
| Ecotoxicity effects : No | Available |
| 13. DISPOSAL CONSIDERATIONS | |
| reg | serve all applicable Federal, Provincial and State ulations and Local/Municipal ordinances regarding posal. |
| | nsumer may discard empty container in trash, or recycle ere facilities exist. |
| 14. TRANSPORT INFORMATION | |
| Land transport | |
| | 5/7 |

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



WINDEX® MULTI-SURFACE WITH VINEGAR

Version 1.

Print Date 01/19/2009

Revision Date 12/02/2008

MSDS Number 35000004275

| an TDG Surface Transportation: 1993 Combustible Liquid, N.O.S. Combustible liquid III | | |
|---|--|--|
| SC Johnson ships this product as "Non-Regulated" per DOT exception for Combustible Liquids. (49 CFR 173.150) | | |
| | | |
| None. None. not regulated None. | | |
| | | |
| None. None. not regulated None. | | |
| TION | | |
| : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory. | | |
| : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA). | | |
| This product is not subject to the reporting requirements under California's Proposition 65. This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. | | |
| | | |

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



WINDEX® MULTI-SURFACE WITH VINEGAR

Version 1.

Revision Date 12/02/2008

Print Date 01/19/2009

MSDS Number 35000004275

16. OTHER INFORMATION

HMIS Ratings

| Health | 0 | |
|--------------|---|--|
| Flammability | 2 | |
| Reactivity | 0 | |

NFPA Ratings

| Health | 0 | |
|------------|---|--|
| Fire | 2 | |
| Reactivity | 0 | |
| Special | | |
| | | |

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

| Prepared by: | SC Johnson Global Safety Assessment & |
|--------------|---------------------------------------|
| | Regulatory Affairs (GSARA) |