

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 07-Aug-2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: ORANGE TOUGH 90

Product Number: 2290

Recommended Use: Cleaning agent

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Skin Corrosion/Irritation:
Serious Eye Damage/Eye Irritation:
Skin Sensitization:
Category 1
Category 1
Category 3

GHS Label Elements

Signal Word:

Symbols:

Danger



Hazard Statements: Causes skin irritation.

Causes serious eye damage May cause an allergic skin reaction Flammable liquid and vapor.

Precautionary Statements:

Prevention: Wash hands and any exposed skin thoroughly after handling.

Wear eye / face protection Wear protective gloves

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground container and receiving equipment. Use explosion-proof electrical equipment.

Use only non-sparking tools

Take precautionary measures against static discharge

Response:

Revision Date: 07-Aug-2015 2290 - **ORANGE TOUGH 90**

-Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR

PHYSICIAN.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water -Skin

or shower. If skin irritation or rash occurs: Get medical attention. Wash contaminated

clothing before reuse.

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Fire: In case of fire: Use Water spray, fog or regular foam for extinction

Store in a well-ventilated place. Keep cool Storage:

Disposal: Dispose of contents and container in accordance with local, state and federal regulations.

Do not dispose of this product by pouring on the ground, into storm sewers, waterways or other surface waters. Consult with local, federal and state authorities prior to disposal of

any d-limonene containing product into the sanitary sewer system.

Hazards Not Otherwise Classified: Not Applicable

Other Information: · Harmful if swallowed

• Inhalation of vapors or mist may cause respiratory irritation.

 Mops, towels or rags dampened with this product are combustible and may also be subject to spontaneous combustion. Thoroughly rinse these materials with water to remove product before disposal or discard in special containers designed for this purpose.

· Keep out of reach of children.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|------------------------|-------------|----------|
| d-limonene | 5989-27-5 | 60-100 |
| nonylphenol ethoxylate | 127087-87-0 | 7-13 |
| alcohol ethoxylate | 68439-46-3 | 1-5 |

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and -Eye Contact:

easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Take off immediately all contaminated clothing. Rinse skin with water or shower. If skin irritation or rash occurs; Get medical attention. Wash contaminated clothing before reuse.

-Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious -Ingestion:

person. Get medical attention if you feel unwell.

Note to Physicians: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Water spray, fog or regular foam, Dry chemical or CO2

Specific Hazards Arising from the Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and

Chemical: flash back.

-Skin Contact:

May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Hazardous Combustion Products:

Protective Equipment and Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

Precautions for Firefighters: protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

2290 - ORANGE TOUGH 90 Revision Date: 07-Aug-2015

Personal Precautions: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Use personal protective equipment as required.

Environmental Precautions: Do not rinse spill onto the ground, into storm sewers or bodies of water. Do not dispose of

this product by pouring on the ground, into storm sewers, waterways or other surface waters. Consult with local, federal and state authorities prior to disposal of any d-limonene

containing product into the sanitary sewer system.

Methods for Clean-Up: Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Storage Conditions: Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits: None established.

Engineering Controls: Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

Eve/Face Protection: Wear splash goggles.

Skin and Body Protection: Wear rubber or other chemical-resistant gloves.

Respiratory Protection: Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance/Physical State: | Liquid | | |
|---------------------------------|---------------------------|--|--|
| Color: | Orange | | |
| Odor: | Orange | | |
| pH: | Not applicable | | |
| Melting Point / Freezing Point: | No information available. | | |
| Boiling Point / Boiling Range: | 154 °C / 309 °F | | |
| Flash Point: | 51 °C / 124 °F ASTM D56 | | |
| Evaporation Rate: | < 1 (Butyl acetate = 1) | | |
| Flammability (solid, gas) | No information available. | | |
| Upper Flammability Limit: | No information available. | | |
| Lower Flammability Limit: | No information available. | | |
| Vapor Pressure: | No information available. | | |
| Vapor Density: | No information available. | | |
| Specific Gravity: | 0.86 | | |
| Solubility(ies): | Miscible in water | | |
| Partition Coefficient: | No information available. | | |
| Autoignition Temperature: | No information available. | | |
| Decomposition Temperature: | No information available. | | |
| Viscosity: | No information available. | | |

10. STABILITY AND REACTIVITY

2290 - ORANGE TOUGH 90 Revision Date: 07-Aug-2015

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Extremes of temperature and direct sunlight. Incompatible Materials: Strong oxidizing agents. Strong acids.

Hazardous Decomposition May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Products:

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

-Éye Contact: Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause

permanent damage.

-Skin Contact: Pain, redness and cracking of the skin.
 -Inhalation: Nasal discomfort and coughing.
 -Ingestion: Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 2294 mg/kg ATEmix (dermal): 2261 mg/kg

Component Acute Toxicity Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|----------------------------------|--------------------|-----------------------|-----------------|
| d-limonene 5989-27-5 | = 4400 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | Not Available |
| alcohol ethoxylate 68439-46-3 | = 1378 mg/kg (Rat) | > 2 g/kg(Rabbit) | Not Available |

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/Aquatic Plants | Fish | Toxicity to Microorganisms | Crustacea |
|-------------------------|----------------------|---|-------------------------------|---------------|
| d-limonene 5989-27-5 | Not Available | 0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50 | Not Available | Not Available |

Persistence and Degradability:No information available.Bioaccumulation:No information available.

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations. Do not dispose of this

product by pouring on the ground, into storm sewers, waterways or other surface waters. Consult with local, federal and state authorities prior to disposal of any d-limonene

containing product into the sanitary sewer system.

Contaminated Packaging: Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

2290 - ORANGE TOUGH 90 Revision Date: 07-Aug-2015

DOT:

UN/ID No: UN1993

Proper Shipping Name: Flammable liquids, n.o.s., (contains d-limonene)

Hazard Class: 3
Packing Group: III

Special Provisions: Shipping descriptions may vary based on mode of transport, quantities, package size,

and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

IMDG:

UN/ID No: UN1993

Proper Shipping Name: Flammable liquids, n.o.s., (contains d-limonene)

Hazard Class: 3
Packing Group: |||

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:
Chronic Health Hazard:
No
Fire Hazard:
Sudden release of pressure hazard:
No
Reactive Hazard:
No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

NFPA Health Hazards: 2 Flammability: 2 Instability: 0 Special: N/A

Health Hazards: 2 Flammability: 2 Physical Hazards: 0

Revision Date: 07-Aug-2015 **Reasons for Revision:** Section 14 and 15

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet